# Xerox® AltaLink® C8070 - Europe
# Paper and Specialty Media Guide - May 2017

For your convenience, this guide includes the Recommended Media List.

**The Recommended Media List** contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for o ptimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is feature d on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com

# Xerox® AltaLink® C8070 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.
Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List
for a specific Xerox® printer or digital press will give optimum performance.
This is how Antalis can offer 100% Performance Guaranteed.

**Trays 1,2,3, TTM, SMH & HCF**

- Plain / Bond / Recycled (64 - 105 gsm)
- Glossy (106 - 169 gsm)
- Glossy Cardstock (170 - 256 gsm)
- Heavy Glossy Cardstock (257 - 280 gms)
- Transparency
- Lightweight Cardstock (106 - 169 gsm)
- Cardstock (170 - 256 gsm)
- Heavyweight Cardstock (257 - 280 gsm)
- Labels

**Paper Types are selected when Paper Tray is closed**

**Simplex / Duplex Capabilities**
A = Auto Duplex
S = Simplex Only
M = Manual Duplex    n = not supported

**Finisher Capabilities**
♦  Capable of Stacking, Stapling or Folding Paper Type / Size
n = not supported

**AltaLink® C8070 — RML — Europe — May 2017**

| Media | Paper Type Setting | Weight | Re-Order # | Type | Size | 3T 1 | 2 | 3 | 4 | TT 2 | 3 | 4 | SMH (Bypass) 5 | HCF 6 | BR Finisher Stack | Staple | BR Booklet Maker Stack | Staple | Books (SEF) | Bi-fold (SEF) | CZ 'Z' | Letter 'Z' | Letter 'C' | Additional Information |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Xerox® Business | Plain | 80 gsm | 003R91820 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R91821 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| Xerox® Premier | Plain | 80 gsm | 003R91720 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | Letter 'Z' and 'C' folding available only when sheets are fed SEF. Max Tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets. |
| | | | 003R91721 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| | Bond | 90 gsm | 003R91854 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R91853 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| Xerox® Recycled Supreme 100% | Recycled | 80 gsm | 003R95860 | Recycled | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R95861 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| Xerox® Exclusive | Plain | 80 gsm | 003R90208 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | Letter 'Z' and 'C' folding available only when sheets are fed SEF. Max Tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets. |
| | | | 003R91712 | 4 hole | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R90209 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| | Bond | 90 gsm | 003R90600 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R90618 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| Xerox® Colour Impressions | Plain | 80 gsm | 003R97661 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R97662 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| | Bond | 90 gsm | 003R97663 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R97664 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | ♦ | n | |
| | | | 003R97665 | | SRA3 | A | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | ♦ | ♦ | n | n | n | |
| | Bond | 100 gsm | 003R97666 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | ♦ | ♦ | |
| | | | 003R97667 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | ♦ | n | |
| | | | 003R97668 | | SRA3 | A | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | n | ♦ | n | n | n | |
| | Lightweight Cardstock | 120 gsm | 003R97669 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R97670 | | SRA3 | n | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | n | ♦ | n | n | n | |
| | Cardstock | 250 gsm | 003R97671 | | A3 | S | S | S | S | S | n | n | M | n | ♦ | n | ♦ | n | n | n | n | n | n | |
| | | | 003R97672 | | SRA3 | n | S | S | S | S | n | n | M | n | ♦ | n | ♦ | n | n | n | n | n | n | |
| Xerox® Colotech+ (Blue label) | Bond | 90 gsm | 003R94641 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | □ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | These paper types available in Germany only |
| | | | 003R94642 | | A3 | A | A | A | A | A | A | n | A | n | ♦ | □ | ♦ | ♦ | ♦ | ♦ | n | ♦ | ♦ | |
| | | | 003R95838 | | SRA3 | n | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | ♦ | ♦ | n | n | n | |
| | Bond | 100 gsm | 003R94646 | | A4 | A | A | A | A | A | A | n | A | A | ♦ | □ | ♦ | ♦ | n | ♦ | n | ♦ | ♦ | |
| | | | 003R94647 | | A3 | A | A | A | A | A | A | n | A | n | ♦ | □ | ♦ | ♦ | n | ♦ | n | ♦ | ♦ | |
| | | | 003R95839 | | SRA3 | n | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | n | ♦ | n | n | n | |
| | Lightweight Cardstock | 120 gsm | 003R94651 | | A4 | A | A | A | A | A | A | A | A | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R94652 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R95840 | | SRA3 | n | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | n | ♦ | n | n | n | |
| | Lightweight Cardstock | 160 gsm | 003R94656 | | A4 | A | A | A | A | A | A | A | A | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R94657 | | A3 | A | A | A | A | A | n | n | A | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R95841 | | SRA3 | n | A | A | A | A | n | n | A | n | ♦ | n | ♦ | n | n | ♦ | n | n | n | |
| | Cardstock | 200 gsm | 003R94661 | | A4 | A | A | A | A | A | A | A | M | A | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R94662 | | A3 | A | A | A | A | A | A | n | M | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R95842 | | SRA3 | n | A | A | A | A | n | n | M | n | ♦ | n | ♦ | n | n | ♦ | n | n | n | |
| | Cardstock | 220 gsm | 003R94668 | | A4 | A | A | A | A | A | A | A | M | A | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | | | 003R94669 | | A3 | A | A | A | A | A | A | n | M | n | ♦ | ♦ | ♦ | ♦ | n | ♦ | n | n | n | |
| | Cardstock | 250 gsm | 003R94671 | | A4 | S | S | S | S | S | S | S | M | A | ♦ | ♦ | ♦ | ♦ | n | n | n | n | n | |
| | | | 003R94672 | | A3 | S | S | S | S | S | n | n | M | n | ♦ | n | ♦ | n | n | n | n | n | n | |
| | | | 003R95844 | | SRA3 | n | S | S | S | S | n | n | M | n | ♦ | n | ♦ | n | n | n | n | n | n | |

# Xerox® AltaLink® C8070 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.
Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List
for a specific Xerox® printer or digital press will give optimum performance.
This is how Antalis can offer 100% Performance Guaranteed.

**Trays 1,2,3, TTM, SMH & HCF**

Plain / Bond / Recycled (64 - 105 gsm)

| Color Key | |
|---|---|
| Glossy (106 - 169 gsm) | Lightweight Cardstock (106 - 169 gsm) |
| Glossy Cardstock (170 - 256 gms) | Cardstock (170 - 256 gsm) |
| Heavy Glossy Cardstock (257 - 280 gms) | Heavyweight Cardstock ( 257 - 280 gsm) |
| Transparency | Labels |

Paper Types are selected when Paper Tray is closed

**AltaLink® C8070**

**RML**

**Europe**

**May 2017**

## Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex     n = not supported

## Finisher Capabilities

◆ Capable of Stacking, Stapling or Folding  Paper Type / Size

n = not supported

| Media | Paper Type Setting | Weight | Re-Order # | Type | Size | Trays 3T 1 | 2 | 3 | 4 | TT 2 | 3 | 4 | SMH (Bypass) 5 | HCF 6 | BR Finisher Stack | BR Finisher Staple | BR Booklet Maker Finisher Stack | BR Booklet Maker Finisher Staple | Books (SEF) | Bi-fold (SEF) | CZ Folder 'Z' | CZ Folder Letter 'Z' | CZ Folder Letter 'C' | Additional Information |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Xerox® Colotech + (Gold label) | Bond | 90 gsm | 003R98837 | | A4 | A | A | A | A | A | A | A | A | A | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | n | n | n | |
| | | | 003R98839 | | A3 | A | A | A | A | A | A | n | A | n | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | n | n | n | |
| | | | 003R98840 | | SRA3 | n | A | A | A | A | n | n | A | n | ◆ | n | ◆ | n | ◆ | ◆ | n | n | n | |
| | Bond | 100 gsm | 003R98842 | | A4 | A | A | A | A | A | A | A | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R98844 | | A3 | A | A | A | A | A | A | n | A | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R98845 | | SRA3 | n | A | A | A | A | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Lightweight Cardstock | 120 gsm | 003R98847 | | A4 | A | A | A | A | A | A | A | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R98848 | | A3 | A | A | A | A | A | A | n | A | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R98849 | | SRA3 | n | A | A | A | A | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Lightweight Cardstock | 160 gsm | 003R98852 | | A4 | A | A | A | A | A | A | A | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R98854 | | A3 | A | A | A | A | A | A | n | A | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R98855 | | SRA3 | n | A | A | A | A | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Cardstock | 200 gsm | 003R97967 | | A4 | A | A | A | A | A | A | A | M | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97968 | | A3 | A | A | A | A | A | A | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97969 | | SRA3 | n | A | A | A | A | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Cardstock | 220 gsm | 003R97971 | | A4 | A | A | A | A | A | A | A | M | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97972 | | A3 | A | A | A | A | A | A | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97973 | | SRA3 | n | A | A | A | A | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Cardstock | 250 gsm | 003R98975 | | A4 | S | S | S | S | S | S | S | M | A | ◆ | ◆ | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R98976 | | A3 | S | S | S | S | S | S | n | M | n | ◆ | ◆ | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R98977 | | SRA3 | n | S | S | S | S | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| | Heavyweight Cardstock | 280 gsm | 003R98979 | | A4 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| | | | 003R98980 | | A3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| | | | 003R97981 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| Xerox® Colotech+ Natural White | Bond | 100 gsm | 003R97102 | | A4 | A | A | A | A | A | A | A | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97103 | | A3 | A | A | A | A | A | A | n | A | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | Lightweight Cardstock | 160 gsm | 003R95956 | | A4 | A | A | A | A | A | A | A | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R95957 | | A3 | A | A | A | A | A | A | n | A | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | Cardstock | 200 gsm | 003R95958 | | A4 | A | A | A | A | A | A | A | M | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R95959 | | A3 | A | A | A | A | A | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| Xerox® Colotech + Gloss Coated | Glossy | 120 gsm | 003R90336 | Gloss Text | A4 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray ( Tray 5 ) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time. |
| | | | 003R90337 | | A3 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90338 | | SRA3 | n | n | n | n | n | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy | 140 gsm | 003R90339 | Gloss Text | A4 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90340 | | A3 | A | n | n | n | n | n | n | A | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90341 | | SRA3 | n | n | n | n | n | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy Cardstock | 170 gsm | 003R90342 | Gloss Cover | A4 | S | n | n | n | n | n | n | M | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90343 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | n | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90344 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy Cardstock | 210 gsm | 003R90345 | Gloss Cover | A4 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90346 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | n | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90347 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy Cardstock | 250 gsm | 003R90348 | Gloss Cover | A4 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R90349 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | n | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R90350 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| | Heavy Glossy Cardstock | 280 gsm | 003R90351 | Gloss Cover | A4 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R90352 | | A3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R90353 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |

# Xerox® AltaLink® C8070 - Recommended Media List - Europe - May 2017

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.
Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List
for a specific Xerox® printer or digital press will give optimum performance.
This is how Antalis can offer 100% Performance Guaranteed.

**Trays 1,2,3, TTM, SMH & HCF**

- Plain / Bond / Recycled (64 - 105 gsm)
- Glossy (106 - 169 gsm)
- Glossy Cardstock (170 - 256 gms)
- Heavy Glossy Cardstock (257 - 280 gms)
- Transparency
- Lightweight Cardstock (106 - 169 gsm)
- Cardstock (170 - 256 gsm)
- Heavyweight Cardstock ( 257 - 280 gsm)
- Labels

Paper Types are selected when Paper Tray is closed

**AltaLink® C8070 — RML — Europe — May 2017**

| Media | Paper Type Setting | Weight | Re-Order # | Type | Size | T1 | T2(3T) | T3 | T4 | TT2 | TT3 | TT4 | SMH 5 (Bypass) | HCF 6 | BR Stack | BR Staple | BM Stack | BM Staple | BM Books (SEF) | BM Bi-fold (SEF) | CZ 'Z' | CZ Letter 'Z' | CZ Letter 'C' | Additional Information |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Xerox® Colotech + Silk Coated | Glossy | 120 gsm | 003R90355 | Silk Text | A4 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray ( Tray 5 ) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time. |
| | | | 003R90356 | | A3 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90357 | | SRA3 | n | n | n | n | n | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy | 140 gsm | 003R90358 | Silk Text | A4 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90359 | | A3 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90360 | | SRA3 | n | n | n | n | n | n | n | A | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy Cardstock | 170 gsm | 003R90361 | Silk Cover | A4 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90362 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90363 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy Cardstock | 210 gsm | 003R90364 | Silk Cover | A4 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90365 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90366 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Glossy Cardstock | 250 gsm | 003R90367 | Silk Cover | A4 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90368 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R90369 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| | Heavy Glossy Cardstock | 280 gsm | 003R90370 | Gloss Cover | A4 | n | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R90371 | | A3 | n | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | n | n | n | n | |
| | | | 003R90372 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| Xerox® Colotech + Supergloss (C1S) | Glossy | 160 gsm | 003R97680 | | A4 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray ( Tray 5 ) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time. |
| | | | 003R97681 | | A3 | A | n | n | n | n | n | n | A | A | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | Glossy Cardstock | 210 gsm | 003R97682 | | A4 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97683 | | A3 | S | n | n | n | n | n | n | M | n | ◆ | ◆ | ◆ | ◆ | n | ◆ | n | n | n | |
| | | | 003R97684 | | SRA3 | n | n | n | n | n | n | n | M | n | ◆ | n | ◆ | n | n | ◆ | n | n | n | |
| Xerox® Colour Laser Labels | Labels | | 003R93872 | 1 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray. |
| | | | 003R95813 | 4 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| | | | 003R93874 | 8 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| | | | 003R93875 | 14 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| | | | 003R95815 | 21 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| | | | 003R97524 | 24 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| Xerox® High Speed Laser Removable Labels | Labels | | 003R96177 | 16 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray. |
| | | | 003R96178 | 24 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| Xerox® High Speed Laser labels | Labels | | 003R96281 | 16 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| Xerox® Colotech Supergloss Labels | Glossy Cardstock | | 003R97288 | 1 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | Stack only to Top Finisher Tray. |
| | | | 003R97540 | 1 up | SRA3 | n | n | n | n | n | n | n | S | n | ◆ | n | ◆ | n | n | n | n | n | n | |
| Xerox® Colotech Super Gloss CD Labels | Glossy Cardstock | | 003R97516 | 2 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | Stack only to Top Finisher Tray. |
| Xerox® Colour Laser Matte CD Labels | Lightweight Cardstock | | 003R97514 | 2 up | A4 | S | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | Stack only to Top Finisher Tray. |
| Xerox® Laser Premium Transparent Colour | Transparency | | 003R98205 | Standard Transp. | A4 | S | S | S | S | S | S | S | S | S | ◆ | n | ◆ | n | n | n | n | n | n | Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. Stack only to Top Finisher Tray. |
| Xerox® Universal Transfer Paper | Lightweight Cardstock | | 003R93544 | T shirt Transfer | A4 | n | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | Transfer paper is not intended as the sole application of machine. Limit monthly usage. |
| | | | 003R93545 | | A3 | n | n | n | n | n | n | n | S | S | ◆ | n | ◆ | n | n | n | n | n | n | |
| Envelopes | Envelope | 75 - 90 gsm | | C5 | 9 x 6.4 in | n | n | n | n | n | n | n | S | n | ◆ | n | ◆ | n | n | n | n | n | n | Envelope tray is available as an option. Envelopes are run in Heavyweight Cardstock mode. Wrinkles with certain brands / type are possible. If wrinkles are encountered, try a different brand / type. |
| | | | | DL | 8.7 x 4.3 in | n | n | n | n | n | n | n | S | n | ◆ | n | ◆ | n | n | n | n | n | n | |