



Trademark Licensee

antalisTM
Just ask Antalis

Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 - Europe Paper and Speciality Media Guide

Version 1.0 - September 2020

For your convenience, this guide includes the Recommended Media List

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com

Important Notes:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications. Machine reliability specifications may be affected by increased usage of Cardstock and Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock and Glossy Cardstock modes or special application media types for long duration copy/print runs.

100% Performance
Guaranteed

© 2020 Antalis. All rights reserved. Xerox® is a trademark of Xerox Corporation in the United States and/or other countries and is used under license from Xerox Corporation. Antalis is a trademark licensee of Xerox Corporation. Xerox® and all Xerox product names, and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 - Recommended Media List - Europe - September 2020

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.
This is how Antalis can offer 100% Performance Guaranteed.

Trays 1, 2, 2TM, TTM, SMH & HCF																	
Plain / Bond / Recycled (64 - 105 gsm)		Coated 1 (106 - 176 gsm) Coated 2 (177 - 220 gsm) Coated 3 (221 - 300 gsm)		Heavy weight 1 (106 - 176 gsm) Heavy weight 2 (177 - 220 gsm) Heavy weight 3 (221 - 300 gsm)		Labels											
Paper Types are selected when Paper Tray is closed																	
Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities		Finisher Capabilities									
Xerox Business	Plain	80 gsm	003R91820	Recycled	A4	A = Auto Duplex S = Simplex Only M = Manual Duplex n = not supported		♦ = Capable of Stacking, Stapling or Folding Paper Type / Size									
	Plain	80 gsm	003R91821		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
Xerox Premier	Bond	90 gsm	003R91854		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Bond	100 gsm	003R93608		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Recycled	80 gsm	003R95860		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Plain	80 gsm	003R95861		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
Xerox Colour Impressions	Bond	90 gsm	003R97661		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Bond	90 gsm	003R97662		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Bond	100 gsm	003R97663		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Bond	100 gsm	003R97664		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Lightweight Cardstock	120 gsm	003R97665		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R97671		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R97672		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Bond	90 gsm	003R99000		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Bond	100 gsm	003R99001		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Lightweight Cardstock	120 gsm	003R99002		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
Xerox Colotech+	Lightweight Cardstock	120 gsm	003R99004		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Lightweight Cardstock	160 gsm	003R99006		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	200 gsm	003R99007		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	220 gsm	003R99009		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	220 gsm	003R99010		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R99011		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R99014		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R99015		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R99016		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	200 gsm	003R99018		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	200 gsm	003R99019		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	200 gsm	003R99020		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	220 gsm	003R99022		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	220 gsm	003R99023		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	220 gsm	003R99024		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Cardstock	250 gsm	003R99026		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	280 gsm	003R99027		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	280 gsm	003R99030		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	300 gsm	003R99031		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	300 gsm	003R99032		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	300 gsm	003R99034		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	300 gsm	003R99035		A4	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	300 gsm	003R99036		A3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								
	Heavyweight Cardstock	300 gsm	003R99037		SRA3	n n n n n n	n n n n n n	n n n n n n	n n n n n n								

Additional Information

Letter 'Z' and 'C' folding is available only when sheets are fed SEF. Maximum tray capacity for 'Z' fold is 30 sheets and for Letter 'Z' and 'C' is 40 sheets.

Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 - Recommended Media List - Europe - September 2020

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance.

This is how Antalis can offer 100% Performance Guaranteed.

Trays 1, 2, 2TM, TTM, SMH & HCF

Coated 1 (106 - 176-gsm)
Coated 2 (177 - 220-gsm)
Coated 3 (221 - 300 gsm)

Heavy weight 1 (106 - 176 gsm)
Heavy weight 2 (177 - 220 gsm)
Heavy weight 3 (221 - 300 gsm)

Labels

Plain / Bond / Recycled
(64 - 105 gsm)

Paper Types are selected when Paper Tray is closed

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Trays IOT 2TM TTM SMH (Bypass) HCF

1 2 3 4 3 4 5 6

Finisher Capabilities

♦ = Capable of Stacking, Stapling or Folding Paper Type / Size

n = not supported

Exit2 (IOT) Stack Offset Staple Stack Offset Punch Staple Booklet Crease-Fold (SEF) Stack Staple Stack Staple Books (SEF) Bi-fold (SEF) Z' Letter Z' Letter C'

Additional Information

If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities						Finisher Capabilities										Finisher Capabilities															
						IOT	2TM	TTM	SMH	(Bypass)	HCF	1	2	3	4	3	4	5	6	Stack	Offset	Staple	Stack	Offset	Punch	Staple	Booklet	Crease-Fold (SEF)	Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)	Z'	Letter Z'	Letter C'
Xerox Colotech+ Gloss Coated	Glossy	120 gsm	003R90336 003R90337 003R90338	Gloss Text	A4 A3 SRA3	A	A	A	A	A	M	A	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy	140 gsm	003R90339 003R90340 003R90341	Gloss Text	A4 A3 SRA3	A	A	A	A	A	M	A	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy Cardstock	170 gsm	003R90342 003R90343 003R90344	Gloss Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy Cardstock	210 gsm	003R90345 003R90346 003R90347	Gloss Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy Cardstock	250 gsm	003R90348 003R90349 003R90350	Gloss Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Heavy Glossy Cardstock	280 gsm	003R90351 003R90352 003R90353	Gloss Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy	120 gsm	003R90355 003R90356 003R90357	Silk Text	A4 A3 SRA3	A	A	A	A	A	M	A	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy	140 gsm	003R90358 003R90359 003R90360	Silk Text	A4 A3 SRA3	A	A	A	A	A	M	A	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy Cardstock	170 gsm	003R90361 003R90362 003R90363	Silk Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy Cardstock	210 gsm	003R90364 003R90365 003R90366	Silk Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
Xerox Colotech+ Silk Coated	Glossy	250 gsm	003R90367 003R90368 003R90369	Silk Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Heavy Glossy Cardstock	280 gsm	003R90370 003R90371 003R90372	Gloss Cover	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n			
	Glossy	160 gsm	003R97680 003R97681	A4 A3	A	A	A	A	A	M	A	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n				
	Glossy Cardstock	210 gsm	003R97682 003R97683 003R97684	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n				
	Glossy	160 gsm	003R97680 003R97681	A4 A3	A	A	A	A	A	M	A	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n				
	Glossy Cardstock	210 gsm	003R97682 003R97683 003R97684	A4 A3 SRA3	A	A	A	A	A	M	n	n	♦	♦	♦	♦	♦	♦	n	n	♦	♦	♦	n	♦	n	n	n	n	n	n	n	n				

Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 - Recommended Media List - Europe - September 2020

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.
 Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List
 for a specific Xerox® printer or digital press will give optimum performance.
 This is how Antalis can offer 100% Performance Guaranteed.

Trays 1, 2, 2TM, TTM, SMH & HCF							Simplex / Duplex Capabilities												Finisher Capabilities																								
Plain / Bond / Recycled (64 - 105 gsm)		Coated 1 (106 - 176 gsm) Coated 2 (177 - 220 gsm) Coated 3 (221 - 300 gsm)		Heavy weight 1 (106 - 176 gsm) Heavy weight 2 (177 - 220 gsm) Heavy weight 3 (221 - 300 gsm)		Labels		A = Auto Duplex S = Simplex Only M = Manual Duplex n = not supported						n = not supported												Exit2 (IOT)																	
Media	Paper Type Setting	Weight	Re-Order #	Type	Size		Trays	SMH		HCF	GA-R Finisher	GB-Finisher				BR Finisher	BR Booklet Maker Finisher		CZ Folder		Stack	Offset	Staple	Stack	Offset	Punch	Staple	Booklet	Cease-Fold (SEF)	Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)	Z'	Letter Z'	Letter C'					
Xerox Colour Laser Labels	Labels		003R93872 003R95813 003R93874 003R93875 003R95815 003R97524	1 up 4 up 8 up 14 up 21 up 24 up	A4	S n n n n n S S	IOT	1	2	3	4	3	4	5	6	Exit2 (IOT)	n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n	n		
Xerox High Speed Laser Removable Labels	Labels		003R96177 003R96178	16 up 24 up	A4	S n n n n n S S	2TM	n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n	n	
Xerox High Speed Laser labels	Labels		003R96281	16 up	A4	S n n n n n S S	TTM	n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n	n	
Xerox Colotech SuperGloss Labels	Glossy Cardstock		003R97288 003R97540	1 up 1 up	A4	S n n n n n S S	(Bypass)	n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n		
Xerox Colotech SuperGloss CD Labels	Glossy Cardstock		003R97516	2 up	A4	S n n n n n S S	HCF	n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n		
Xerox Colour Laser Matte CD Labels	Lightweight Cardstock		003R97514	2 up	A4	S n n n n n S S		n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n		
Xerox Laser Premium Colour Transparency	Transparency		003R98205	Standard Transp.	A4	S S S S S S S n		n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n	n	
Xerox Universal Transfer Paper	Lightweight Cardstock		003R93544 003R93545	T shirt Transfer	A4 A3	n n n n n n S S		n	◆	◆	n	◆	n	n	n	n		n	◆	◆	n	◆	n	n	n	n	n	◆	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n

Additional Information
If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray.
If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray.
Stack only to Top Finisher Tray.
Stack only to Top Finisher Tray.
Select Paper Type Transparency on User Interface for trays / Bypass. Stack only to Top Finisher Tray.
Transfer paper is not intended as the sole application of machine. Limit monthly usage.