

Recommended Xerox Media for Phaser® 7800 - Europe

Version 2.0. June 2012

This supersedes any previous Recommended Media for Xerox Phaser 7800.

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runnability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40 %.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Glossy papers, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

For additional recommended Phaser media, look under Supplies on: http://www.office.xerox.com/ and select your Product Family.

Warranty Disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small auantities to ensure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox colour equipment, use only the best - Xerox Supplies.

© 2011-2012 Xerox Corporation. All rights reserved.

XEROX®, XEROX and Design® and Phaser® are trademarks of Xerox Corporation in the United States and/or other countries.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit www.xerox.com/europaper

Plain / Bond / Recycled (75 - 105 gsm)	Lightweight Glossy Cardstock (Glossy Cardstoc Heavyweight Glossy Cardstock (Extra Heavyweight Glossy Cardstoc	Heavywei	ht Cardstock (106 - 1) Cardstock (170 - 2 ght Cardstock (257-3 ght Cardstock (301-3	56 gsm) 00 gsm)	Phaser 7800 Recommended Media List Europe June 2012 Trays A = Auto Duplex	
Media	Paper Type Setting	Weight	Re-Order #	Туре	Size	AK = Auto Duplex with Heavy Duty Media Kit S = Simplex Only
Xerox Business	Plain	80 gsm	003R91820 003R91821		A4 A3	A A A A A A A A A A A A A A A A A A A
Xerox Premier	Plain	80 gsm	003R91832 003R91720 003R91721		A5 A4 A3	A A A A A A A A A A A A A A A A A A A
	Plain	90 gsm	003R91854 003R91853		A4 A3	A A A A A A A A A A A A A A A A A A A
Xerox Recycled Supreme	Recycled	80 gsm 90 gsm	003R94568 003R95156	Recycled	A3 A4	A A A A A A A A A A A A A A A A A A A
Xerox Recycled	Recycled	80 gsm	003R91165	Recycled	A4	A A A A A A A A A A A A A A A A A A A
	Plain	90 gsm	003R98837 003R98839 003R98840 003R98842 003R98844		A4 A3 SRA3 A4 A3	A A A A A A A A A A A A A A A A A A A
	Lightweight Cardstock	120 gsm	003R98845 003R98847 003R98848 003R98849		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Lightweight Cardstock	160 gsm	003R98852 003R98854 003R98855		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
Xerox Colotech+	Cardstock	200 gsm	003R97967 003R97968 003R97969		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
(Gold label)	Cardstock	220 gsm	003R97971 003R97972 003R97973		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Cardstock	250 gsm	003R98975 003R98976 003R98977		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Heavyweight Cardstock	280 gsm	003R98979 003R98980 003R97981		A4 A3 SRA3	AK, M n n n n n n AK, M n n n n n n n AK, M n n n n n n n
	Heavyweight Cardstock	300 gsm	003R97983 003R97984 003R97985		A4 A3 SRA3	AK, M n
	Extra Heavyweight Cardstock	350 gsm	003R98625		SRA3	improved colours (toner transfer).

Page 2 of 4 Revision 2.0 June 2012

Plain / Bond / Recycled (75 - 105 gsm) Extra Heavyweight Glossy Cardstock (106 - 169 gsm) Heavyweight Glossy Cardstock (256 - 300 gsm) Extra Heavyweight Glossy Cardstock (256 - 300 gsm) Transparency			Lightweight Cardstock (106 - 169 gsm) Cardstock (170 - 256 gsm) Heavyweight Cardstock (257:300 gsm) Extra Heavyweight Cardstock (301-350 gsm) Labels			Phaser 7800 Recommended Media List Europe June 2012 Trays A = Auto Duplex AK = Auto Duplex with Heavy Duty Media Kit
Media	Paper Type Setting	Weight	Re-Order #	Туре	Size	S = Simplex Only M = Manual Duplex n = not supported
	Plain	90 gsm	003R94641 003R94642 003R95838		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
Xerox Colotech+ (Blue label)	Plain	100 gsm	003R94646 003R94647 003R95839		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Lightweight Cardstock	120 gsm	003R94651 003R94652 003R95840		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Lightweight Cardstock	160 gsm	003R94656 003R94657 003R95841		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Cardstock	200 gsm	003R94661 003R94662 003R95842		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Cardstock	220 gsm	003R94668 003R94669 003R95843		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Cardstock	250 gsm	003R94671 003R94672 003R95844		A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Heavyweight Cardstock	280 gsm	003R97097 003R97098 003R97099		A4 A3 SRA3	AK, M
	Heavyweight Cardstock	300 gsm	003R97552 003R97553 003R97554		A4 A3 SRA3	AK, M n n n n n n AK, M n n n n n n AK, M n n n n n n For high-coverage colour prints, Calibrate Paper Type via the UI may be required for improved colours (toner transfer).
	Lightweight Glossy Cardstock	120 gsm	003R90336 003R90337 003R90338	Gloss Text	A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
Xerox Colotech+ Gloss Coated	Lightweight Glossy Cardstock	140 gsm	003R90339 003R90340 003R90341 003R90342	Gloss Text	A4 A3 SRA3	A A A A A A A A A A A A A A A A A A A
	Glossy Cardstock	170 gsm	003R90342 003R90343 003R90344 003R90345	Gloss Cover	A4 A3 SRA3 A4	A A A A A A A A A A A A A A A A A A A
	Glossy Cardstock	210 gsm	003R90346 003R90347 003R90348	Gloss Cover	A3 SRA3 A4	A A A A A A A A A A A A A A A A A A A
	Glossy Cardstock	250 gsm	003R90349 003R90350 003R90351	Gloss Cover	A3 SRA3 A4	A A A A A A A A A A B A B B B B B B B B
	Heavyweight Glossy Cardstock	280 gsm	003R90352 003R90353	Gloss Cover	A3 SRA3	AK, M n n n n n n n n n n n n n n n n n n
	Extra Heavyweight Glossy Cardstock	350 gsm	003R90354	Gloss Cover	SRA3	M n n n n n n

Page 3 of 4 Revision 2.0 June 2012

Plain / Bond / Recycled (75 - 105 gsm) Lightweight Glossy Cardstock (106 - 169 gsm) Glossy Cardstock (170 - 256 gsm) Heavyweight Glossy Cardstock (256 - 300 gsm) Extra Heavyweight Glossy Cardstock (301 - 350 gsm) Transparency			Heavywei	Lightweight Cardstock (106 - 169 gsm) Cardstock (170 - 256 gsm) Heavyweight Cardstock (257-300 gsm) Extra Heavyweight Cardstock (301-350 gsm) Labels			comm J	Europune 2 Trays	d Media pe 2012			
Media	Paper Type Setting	Weight	Re-Order #	Туре	Size	S = Simplex (only M =			n = not s	supported M	Additional Information
	Lightweight Glossy Cardstock	120 gsm	003R90355 003R90356 003R90357	Silk Text	A4 A3 SRA3	A A A A A A	A A A	Α	A A A	ı r	A A	
	Lightweight Glossy Cardstock	140 gsm	003R90358 003R90359 003R90360	Silk Text	A4 A3 SRA3	A A A A A A	A A A	A A	A A A	ı A	A A	Gloss variation can occur from machine rolls on high coverage prints; if so, use Lightweight Glossy Cardstock type setting for 170 gsm media or adjust the fuser temperature (snippet).
	Glossy Cardstock	170 gsm	003R90361 003R90362 003R90363	Silk Cover	A4 A3 SRA3	A A A A A A	A A A	Α	A A A	ı r		Environmental conditions may require that coaled paper be fed one sheet at a through Tray 1 (MPT/Bypass). Relative Humidity greater than 40% could car misfeeds or multifeeds.
Xerox Colotech+ Silk Coated	Glossy Cardstock	210 gsm	003R90364 003R90365 003R90366	Silk Cover	A4 A3 SRA3	A A A A A A	A A A	Α	A A A	ı r		
	Glossy Cardstock	250 gsm	003R90367 003R90368 003R90369	Silk Cover	A4 A3 SRA3	A A A A A A	A A A A A N N N					
	Heavyweight Glossy Cardstock	280 gsm	003R90370 003R90371 003R90372	Silk Cover	A4 A3 SRA3	AK, M n AK, M n AK, M n	n n n	n	n n n n	ır	n n	Environmental conditions may require that coated paper be fed one sheet at a tirr through Tray 1 (MPT/Bypass). Relative Humidity greater than 40% could cause misfeeds or multifeeds. For high-coverage colour prints, Calibrate Paper Type via the UI may be required improved colours (toner transfer).
	Extra Heavyweight Glossy Cardstock	350 gsm	003R90373	Silk Cover	SRA3	M n	n	n	n n	ır	n n	
Xerox Colotech+ Supergloss	Lightweight Glossy Cardstock	135 gsm	003R97679	Coated 1 side	A4	A A	A	A	A A		A A	Gloss variation can occur from machine rolls on high coverage prints; if so, adjust the fuser temperature (snippet). Environmental conditions may require that coated paper be fed one sheet at a time through Tray 1 (MPT/B
	Lightweight Glossy Cardstock	160 gsm	003R97680 003R97681		A4 A3	A A	A	A A	A A		A A	
	Glossy Cardstock	210 gsm	003R97682 003R97683 003R97684		A4 A3 SRA3	A A A A A A	A A A	Α	A A A	ı r	A A	
Xerox Colour Laser Labels	Label		003R97524	24 up	A4	S S	S	S	S S	5 5	S S	
Xerox Plain Transparency for Colour	Transparency		003R98205	Standard Transp.	A4	s s	n	n	n n	ır	n n	

Page 4 of 4 Revision 2.0 June 2012